



THTCZB-16 TELESCOPIC BOOM LIFT

SPECIFICATION

01

Model

THTCZB-16

Platform height

16m

Working height

18m

Load capacity

200kg

Platform size

900x700mm or customize

Working radius

10.5m

Total size (L*W*H)

6.9x1.68x2.2m

Storage size (L*W*H)

5.7x1.68x2.2m

Weight

2600kg

Telescopic arm

Yes

Container for shipping

1 unit / 20ft 3 units / 40ft

Options

1. Standard power options:

AC, diesel (Changchai) or
petrol (Honda or Briggs&Stratton)

2. Battery power

3. Hybrid power

(2 power from above options)

4. Walking assist device Color can be customized

Tuhe Telescopic Boom Lift

Jinan Tuhe Heavy Industry Machinery Co., Ltd.



Master control switch

Only when you keep pushing this button, can you operate the machine. It can avoid misoperation and accident.



Emergency Lowering valve

When power cut or anything bad happens, you can lower the platform by loosen this valve.



Electrophoresis Materials

It has a good coating effect on complex parts, and the paint film quality of electrophoretic coating is good, and the anti rust ability is strong.



Explosion-proof Cylinder

Explosion-proof valves on the cylinders can keep equipment and personnel safe and provide long-lasting protection.



Self Level Inspection

The level sensor will tell control system is the machine is leveled and allowed to operate.



PLC Touch Screen Control System

You can see all the parameters on this screen and it's easy to operate the boom lift.

Detail Name

Description And Picture

**International
Tow Bar**

German AL-KO famous brand stroing tow bar.



**Touch Screen
Control**

Full English version control system makes it easy to operate.



**Walking Assist
System**

With this device you move the boom lift by remote control.



Hydraulic Lock

This part will lock the hydraulic oil immediately when something bad happens, to prevent the platform from falling.



Detail Name

Description And Picture

Master Control Switch

Only when you keep pushing this switch, can you operate the boom lift, to prevent it from misoperation.



Platform Control

You can control lifting up and down, light on and off, rotation from this control.



Pneumatic Tyre

Famous brand pneumatic tyre, stable and durable, tyre size can be customized.



Platform Level Cylinder

The platform will be always level with this cylinder adjustmen.

